

# 样品规格书

## SPECIFICATION FOR APPROVAL

客 户

**CUSRTOMER** ABB Inc.,America

产 品 名 称

**DESCRIPTION** CT

客 户 型 号

**CUSTOMER PART No.** 200A/ 250mA

我 方 型 号

**ETECH STOCK NO.** 200A/ 250mA

承制方(MANUFACTURE): SHAANXI ELECTRONIC GROUPTECH CO.,LTD

编 制 <b>ORGANIZER</b>	审 核 <b>CHECK</b>	批 准 <b>APPROVE</b>
<b>ANSON</b>	<b>JACK</b>	<b>MAVIS</b>

Date: 2011/08/12

**SHAANXI ELECTRONIC GROUPTECH CO.,LTD**

E-mail: [sales@ferritewindings.com](mailto:sales@ferritewindings.com)

客户型号 (CUSTOMER PART No.)	200A/250mA	2011年08月12日		
我方型号 (ETECH STOCK NO.)	200A/250mA	编制 (ORGANIZER)	审核 (CHECK)	批准 (APPROVE)
产品名称 (Description)	CT	ANSON	JACK	MAVIS

**SCHEMATIC:**



P/N: 200A/250mA	Amplitude error: < 0.5%
INPUT: 200A	Phase error: <30´
OUTPUT: 250mA	Dielectric strenght: 2500VAC
OVER LOAD TIME: 8TIMES	Working Tem:-25℃~+70℃
WORKING FREQUENCY: 50/60Hz	

**REMARK:**

客户型号 (CUSTOMER PART No.)	E-mail: <a href="mailto:sales@ferritewindings.com">sales@ferritewindings.com</a> 200A/250mA	2011年08月12日		
我方型号 (ETECH STOCK NO.)	200A/250mA	编制 (ORGANIZER)	审核 (CHECK)	批准 (APPROVE)
产品名称 (Description)	CT	ANSON	JACK	MAVIS

一. 外形尺寸(SPECIFICATION)

(Unit: mm)



**A=17±0.5**

**B=40±0.5**

**C=17±1**

REMARK: